



800-892-8677



EQUIPMENT SOLUTIONS FOR
CONSTRUCTION, INDUSTRIAL & EMERGENCY USE

Dehumidification





Sunbelt Rentals Climate Control Services: Put our people, equipment and experience to work for you

Climate Control Services provides you with customized dehumidification solutions for all of your temporary and emergency needs. With nationwide locations and 24/7 customer support, we ensure you have access to a suitable solution—whenever a need may arise.

Our portable refrigerant dehumidifiers, skid/trailer mounted air conditioners, indirect-fired and electric heaters speed up construction finishes. Our equipment helps restore fire, flood, and mold and mildew-damaged buildings quickly and efficiently.


Applications:

- Construction Drying
- Property Damage Restoration
- Coating Operations
- Industrial Processes
- Manufacturing Processes


We provide turn-key, solution-based support from project sizing, equipment location planning, equipment delivery and installation to teardown and removal. All of this is provided with 24/7 service and support—we are there for you!

Our highly trained and experienced team combined with our immense inventory and wide variety of equipment and logistics capabilities makes us an outstanding resource and partner.

*We provide the
most comprehensive
and effective method
of drying using
temperature,
humidity and
air flow control*



Increasing air flow adds energy to the water to facilitate evaporation, and brings “dry” air to the wet material.



Decreasing humidity promotes evaporation by creating an “absence” of moisture in the air.



Increasing temperature adds energy to the wet material and increases the capacity of the air to hold additional water vapor. Heat helps make the air “thirsty.”



800-892-8677

sunbeltrentals.com/climatecontrol

Portable Refrigerant Dehumidifiers & Air Movers

MOVINCOOL



Specifications	Classic 10	Classic Plus 14	Classic 26	Classic 60
CFM	265	440/380	708/600	1,580
Condensate Removal	120 pints/57 liters	128 pints/61 liters	264 pints/125 liters	736 pints/349 liters
Power Supply	115V, 10.0 amps, 1ph	115V, 11.9 amps, 1ph	208/230V, 15.6/14.0 amps, 1ph	460V, 8.8 amps, 3ph
Dimensions, WxDxH	19 x 26 x 41 in	19 x 26 x 41 in	19 x 29 x 47 in	32 x 49 x 42 in
Net Weight/Shipping Weight	156/194 lbs	166/197 lbs	235/265 lbs	474/566 lbs
Base	casters	casters	casters	casters
Cat-Class	107-0110	107-0112	107-0120	107-0140

DRIEAZ
TESTED BY SERVING SOLUTIONS



Specifications	LGR 2800i	F174	F259
CFM	400	2041	1881
Amp Rating	8 amps	7.4 amps	1.5 amps
Dimensions, WxDxH	24 x 23 x 41	16 x 19 x 19	19 x 20 x 24
Weight	165 lbs	35 lbs	33 lbs
Cat-Class	161-1050	161-1210	161-1220



Industrial Refrigerant Dehumidifiers & Air Circulators

Mobile Cool



Specifications	DRY-42	DRY-60	DRY-100	DRY-200	DRY-250	SF-10
CFM	1,400	2,000	4,000	8,000	10,000	10,900
Condensate Removal	Up to 3.5 gph	Up to 5 gph	Up to 10 gph	Up to 20 gph	Up to 25 gph	n/a
Dimensions, WxDxH	38 x 64 x 48 in	46 x 73 x 51 in	63 x 98 x 62 in	93 x 128 x 62 in	93 x 128 x 62 in	38 x 38 x 17 in
Power Supply	230V, 26 amps, 1ph	230V, 47 amps, 1ph	460V, 31 amps, 3ph	460V, 53 amps, 3ph	460V, 57 amps, 3ph	115V, 6.4 amps, 1ph
Net Weight/Shipping Weight	475/600 lbs	800 lbs	1,530 lbs	3,200 lbs	3,200 lbs	65/100 lbs
Base	casters	casters/skid	skid/trailer available*	skid/trailer available*	skid/trailer available*	casters
Cat-Class	107-0132	107-0150	107-0210	107-0220	107-0230	036-0130

*Skid is standard, trailer is optional. All specifications are subject to change without notice.



Indirect Fired & Electric Heaters

Safe-Heat



Specifications	HP Fan	SM-51	SM-102	CEH-204	OHV-500	IDF-700	IDF-2M
Heating Capacity BTU/h	n/a	51,195	102,390	204,720	420,000	700,000	2,000,000
CFM	6,000	800	800	1,100-2,700	3,100	5,000	16,000
Fuel Type	Electric	Electric	Electric	Electric	Oil/LP/NG	Oil/LP/NG	Oil/LP/NG
Power Supply	230V, 23 amps, 1ph	208/240/480V, 42/36/18 amps, 3ph	480V, 36 amps, 3ph	480V, 74 amps, 3ph	120V, 15 amps, 1ph	208V, 15 amps, 3ph	460V, 30 amps, 3ph
Net Weight/Shipping Weight	250/330 lbs	50/65 lbs	60/95 lbs	170/425 lbs	400/510 lbs	1,235/1,350 lbs	6,000 lbs
Dimensions, WxDxH	39 x 36 x 28 in	41 x 24 x 36 in	41 x 28 x 36 in	34 x 46 x 36 in	50 x 70 x 35 in	31 x 95 x 54 in	151 x 76 x 104 in
Base	n/a	casters	casters	casters	casters	skid	skid
Cat-Class	036-0720	010-0523	010-0540	010-0560	010-0230	010-0260	000-0000

*Skid is standard, trailer is optional. All specifications are subject to change without notice.



Sunbelt Rentals Climate Control Services maintains fully stocked locations nationwide to assure prompt and complete delivery of your Portable Heating, Cooling and Dehumidification equipment.

Call Toll-Free 24 Hours a Day

800-892-8677 sunbeltrentals.com/climatecontrol

Sunbelt Rentals Climate Control Services: 2341 Deerfield Dr Fort Mill SC 29715 – All Rights Reserved ©2014 Printed 7/14

