

G570WCU-2B-T2

Doosan Portable Power's G570 Tier-2 generator is known for its reliability, user-friendly controls and ability to provide lots of power in critical applications. The G570's hardened enclosure protects a Leroy-Somer alternator that provides the G570 with best-in-class motor starting performance. With the ability for the generator to change from 50Hz to 60Hz and 19-hours of onboard fuel, a Cummins Tier-2 engine and rugged running gear, Doosan Portable Power's G570 will reliably power a variety of projects in the harshest environments.



Prime Output
570 kVA (456 kW)

Sound Level (100% Load)
76 dB(A)

Specifications

Prime Power Rating

@ 480V-3Ø, 0.8PF, 60Hz	570 kVA (456 kW), 686 Amps
@ 240V-3Ø, 0.8PF, 60Hz	570 kVA (456 kW), 1371 Amps
@ 208V-3Ø, 0.8PF, 60Hz	510 kVA (408 kW), 1416 Amps
@ 240V-1Ø, 1.0PF, 60Hz 4 Wire	408 kVA (408 kW), 567 Amps
@ 120V-1Ø, 1.0PF, 60Hz 4 Wire	408 kVA (408 kW), 1133 Amps
Voltage Configuration	Link Board
Frequency Capability	60Hz Only

Engine

Engine Make / Model	Cummins QSX15-G9
Power Output @ 1800RPM - HP (kWm)	680 (507)

Emissions Tier Level	Tier 2
Fuel Tank Capacity - Gal (L)	574 (2173)
Runtime @ 100% Load - Hr	18,5

Dimensions W/ Running Gear

Length - in (mm)	260.9 (6627)
Width - in (mm)	85.9 (2182)
Height - in (mm)	119.8 (3043)
Weight (Ready to Run) - lb (kg)	18573 (8425)
Sound Level @ 23 ft (7m) and 100% Load - dB(A)	76

